

**Erie Water Works**  
2020  
Pharmaceutical Compounds

	<b>Erie Water Works Effluent (ug/L) or ppb</b>	<b>Erie Water Works Influent (ug/L) or ppb</b>	<b>Minimum Detection Limit (ug/L) or ppb</b>
Acetaminophen	< 0.005	< 0.005	0.005
Antipyrine	< 0.001	< 0.001	0.001
Atenolol	< 0.001	< 0.001	0.001
Azithromycin	< 0.005	< 0.005	0.01
Caffeine	<0.05	< 0.05	0.05
Carbadox	<0.005	< 0.005	0.005
Carbamazepine	< 0.001	< 0.001	0.001
Cotinine	0.004	0.004	0.001
DEET	0.007	0.007	0.005
Dexamethasone	< 0.005	< 0.005	0.005
Diazepam	< 0.001	< 0.001	0.001
Diltiazem	< 0.0001	< 0.0001	0.0001
Erythromycin	< 0.001	< 0.001	0.001
Fluoxetine (Prozac)	< 0.001	< 0.001	0.001
Iopromide	< 0.05	<0.05	0.05
Lincomycin	< 0.0001	< 0.0001	0.0001
Meprobamate	<0.001	<0.001	0.001
Monensin	< 0.001	< 0.001	0.001
Narasin	< 0.001	< 0.001	0.001
Nicotine	< 0.01	< 0.01	0.01
Oleandomycin	< 0.001	< 0.001	0.001
Paraxanthine	< 0.005	< 0.005	0.005
Primidone	< 0.005	< 0.005	0.005
Roxithromycin	<0.001	< 0.001	0.001
Salinomycin	<0.0001	<0.0001	0.0001
Sulfadiazine	< 0.001	< 0.001	0.001
Sulfadimethoxine	< 0.0001	< 0.0001	0.0001
Sulfamethazine	< 0.001	0.002	0.001
Sulfamethizole	< 0.001	< 0.001	0.001
Sulfamethoxazole	< 0.001	0.002	0.001
Sulfasalazine	< 0.005	< 0.005	0.005
Sulfathiazole	< 0.001	< 0.001	0.001
Theobromine	< 0.05	< 0.05	0.05
Trimethoprim	< 0.001	< 0.001	0.001
Tris(2-chloroethyl) phosphate	< 0.01	< 0.01	0.01
Tris(chloropropyl) phosphate	0.02	0.02	0.01
Tylosin	< 0.001	< 0.001	0.001
Virginiamycin M1	< 0.001	< 0.001	0.001
Acesulfame-K	0.15	0.15	0.02
Bezafibrate	< 0.0005	< 0.0005	0.0005
Chloramphenicol	< 0.005	< 0.005	0.005
Chlorotetracycline	< 0.05	< 0.05	0.05
Clofibric acid	< 0.0005	< 0.0005	0.0005
Diclofenac	< 0.0005	< 0.0005	0.0005
Dilantin	< 0.002	< 0.002	0.002
Gemfibrozil	0.007	<0.0005	0.0005
Ibuprofen	< 0.05	< 0.05	0.05
Levothyroxine (Synthroid)	< 0.002	< 0.002	0.002
Naproxen	< 0.002	< 0.002	0.002

**Erie Water Works**  
2020  
Pharmaceutical Compounds

	<b>Erie Water Works Effluent (ug/L) or ppb</b>	<b>Erie Water Works Influent (ug/L) or ppb</b>	<b>Minimum Detection Limit (ug/L) or ppb</b>
Penicillin G	< 0.002	< 0.002	0.002
Penicillin V	< 0.002	< 0.002	0.002
Prednisone	< 0.002	< 0.002	0.002
Salicylic Acid	< 0.05	< 0.05	0.05
Sucralose	0.191	0.182	0.025
Theophylline	< 0.005	< 0.005	0.005
Triclocarban	< 0.0005	< 0.0005	0.0005
Triclosan	< 0.050	< 0.050	0.050

*< Read as "less than"- indicates a result lower than a detectable level of the procedure.*